

RAPID BIKEEASY

Applicability:
KTM 125 – 200 - 390
Husqvarna Svartpilen 125
HUSQVARNA 401

Cod. KRBEA2-036 – INSTALLATION AND USE




1. Turn off the engine.



2. Locate and disconnect the green 4 pin connectors placed behind the left hand fairing. Follow the silicone sheath coming from the O2 sensor to find the connectors.

Note: on KTM model 2020 you get connector by removing the voltage regulator on the right of engine head.




3. Connect the Rapid Bike connectors in-line of the stock ones.

4. Connect the 6 pin connector and the 2 pin connector to the RapidBike Easy module.



Settings

GREEN LED / LED VERDE



TRIMMER N°1

TRIMMER N°2

The green led shows the state of the device:

Led off = not powered.

Led on = powered, o2 sensor cold.

Led flashing = powered, o2 sensor hot, the device is working.

5. Set the trimmers as follows:

Trimmer 1 = SETTING

Trimmer 2 = FUEL RATIO

MAKE	MODEL	TRIMMER 1	TRIMMER 2
KTM	< 2019	5	+2
KTM	2020 >	6	+2
HUSQVARNA	Svartpilen 125	6	+3
HUSQVARNA	401	5	+1

- Turn on the ignition and verify that the green led is on.
- Turn on the engine and wait some minutes until the green led starts to flash.
- Fasten the cover with the screws.

Dimsport Srl

Zona Industriale Madonnina - Loc. San Iorio

15020 SERRALUNGA DI CREA (AL) - ITALY

T (+39) 0142.9552 F (+39) 0142.940094

www.dimsport.it

RapidBike

ASSISTENZA TECNICA – TECHNICAL SUPPORT

Tel. (+39) 0142.9552

E-mail: support.rapidbike@dimsport.it

UFFICIO COMMERCIALE – COMMERCIAL DEPT.

Tel. (+39) 0142.9552

E-mail: info.rapidbike@dimsport.it



a company of
una azienda del gruppo



www.rapidbike.it
